

# Safety Data Sheet

		December 4, 2017
	1. IDENTIFICATION	
Product Identifier	<b>-</b>	
Product Name	Fleet	
Other means of identification Product Code	2000	
Recommended use of the chemic	al and restrictions on use	
Recommended Use	Industrial cleaner. For professional use only.	
Details of the supplier of the safet Supplier Address Nuance Solutions 900 E. 103 <sup>rd</sup> St. Suite D Chicago, IL 60628. www.nuancesolutions.com	ty data sheet	
Emergency Telephone Number Company Phone Number	Phone: 800-621-8553 Fax: 773-785-9969	
Emergency Telephone (24 hr)	INFOTRAC 800-535-5053 (North America) or 0	11 1 352 323 3500 (International)
	2. HAZARDS IDENTIFICATION	
Appearance Clear liquid	Physical State Liquid	Odor Characteristic
<u>Classification</u>		
Skin corrosion/irritation		Category 1 Sub-category B
Serious eye damage/eye irritation		Category 1
<u>Signal Word</u> Danger <u>Hazard Statements</u> Causes severe skin burns and eye o	damage	



<u>Precautionary Statements - Prevention</u> Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/faceprotection

# Precautionary Statements - Response

Immediately call a poison center or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a poison center or doctor/physician IF SWALLOWED: rinse mouth. Do NOT induce vomiting

# Precautionary Statements - Storage

Store locked up

# Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Harmful to aquatic life with long lasting effects

#### Unknown Acute Toxicity

3.77% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
EDTA	60-00-4	<10
Sodium hydroxide	1310-73-2	<10

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

## First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.	
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.	
Ingestion	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.	
Most important symptoms and effects		
Symptoms	Causes severe skin burns and eye damage.	
Indication of any immediate medical attention and special treatment needed		

**Notes to Physician** Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Material is corrosive.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/orgroundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

#### Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
-------------------------	---

Methods for Clean-Up Keep in suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Keepou the reach of children. Store locked up.	
Incompatible Materials	Acids. Oxidizing agents. Bleach. Do not mix with other chemicals or cleaners.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

#### Appropriate engineering controls

```
Engineering Controls
```

Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers.

#### Individual protection measures, such as personal protective equipment

Liquid

Clear liquid

Colorless

Eye/Face Protection	Wear approved safety goggles where a splash hazard exists.
Skin and Body Protection	Wear suitable protective clothing.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Appearance Color

Property

pН Melting Point/Freezing Point **Boiling Point/Boiling Range** Flash Point **Evaporation Rate** Flammability (Solid, Gas) **Upper Flammability Limits** Lower Flammability Limit Vapor Pressure Vapor Density **Specific Gravity** Water Solubility Solubility in other solvents Partition Coefficient **Auto-ignition Temperature Decomposition Temperature** Kinematic Viscositv **Dynamic Viscosity Explosive Properties Oxidizing Properties** VOC Content (%) Density

Values 12.9 Not determined 100 °C / 212 °F None to boiling Equal to water Liquid- not applicable Not determined Not determined Not determined Not determined 1.06 Soluble in water Not determined Not determined Not determined Not determined Not determined Water thin Not determined Not determined <0.25 8.86 lb/gal

Odor Odor Threshold Characteristic Not determined

# Remarks • Method

IBP Tag Closed Cup

# **10. STABILITY AND REACTIVITY**

## **Reactivity**

Not reactive under normal conditions.

#### Chemical Stability

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

# Conditions to Avoid

Keep out of reach of children.

#### **Incompatible Materials**

Acids. Oxidizing agents. Bleach. Do not mix with other chemicals or cleaners.

## Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	
Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not taste or swallow.

## Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
EDTA 60-00-4	= 1700 mg/kg(Rat)	-	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Sodium Silicate 1344-09-8	= 1153 mg/kg(Rat)	> 4640 mg/kg (Rabbit)	-
Sodium carbonate 497-19-8	= 4090 mg/kg (Rat)	-	-

# Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

#### Numerical measures of toxicity Not determined

Unknown Acute Toxicity 3.77% of the mixture consists of ingredient(s) of unknown toxicity.

# **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

## **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
EDTA 60-00-4	1.01: 72 h Desmodesmus subspicatus mg/L EC50	34 - 62: 96 h Lepomis macrochirus mg/L LC50 static 44.2 - 76.5: 96 h Pimephales promelas mg/L LC50 static		113: 48 h Daphnia magna mg/L EC50 Static
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Sodium Silicate 1344-09-8		301 - 478: 96 h Lepomis macrochirus mg/L LC50 3185: 96 h Brachydanio rerio mg/L LC50 semi-static		216: 96 h Daphnia magna mg/L EC50
Sodium carbonate 497-19-8	242: 120 h Nitzschia mg/L EC50	300: 96 h Lepomis macrochirus mg/L LC50 static 310 - 1220: 96 h Pimephales promelas mg/L LC50 static		265: 48 h Daphnia magna mg/L EC50

# Persistence/Degradability

Not determined.

#### Bioaccumulation Not determined.

Mobility

Not determined

# **Other Adverse Effects**

Not determined

# **13. DISPOSAL CONSIDERATIONS**

## Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic
1310-73-2	Corrosive

# **14. TRANSPORT INFORMATION**

DOT

UN/ID No : Not Classified

Hazard Class/Packing Group: Not classified

# 15. REGULATORY INFORMATION

### International Inventories

Not determined

### US Federal Regulations

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
EDTA	5000 lb		RQ 5000 lb final RQ
60-00-4			RQ 2270 kg final RQ
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

# <u>SARA 313</u>

Section 313 of Title III of	the Superfund Ame	endments and Re	authorization A	Act of 1986 (	SARA).	This product does not	contain any
chemicals which are sub	ject to the reporting	requirements of	the Act and Tit	tle 40 of the	Code of	Federal Regulations,	Part 372

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
EDTA 60-00-4(<10)	5000 lb			х
Sodium hydroxide 1310-73-2 ( <10 )	1000 lb			Х

# US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
EDTA 60-00-4	Х	X	X
Sodium hydroxide 1310-73-2	Х	Х	X

# **16. OTHER INFORMATION**

<u>NFPA</u>	Health Hazards	Flammability	<b>Instability</b>	<b>Special Hazards</b>
	2	0	0	Cor
<u>HMIS</u>	<b>Health Hazards</b> 2	<b>Flammability</b> 0	Physical Hazards 0	Personal Protection

#### <u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# END OF DOCUMENT